

## PlastiKote Trade One Coat Tile Paint 400 ml

Ord.-no.: 071026

### Technical Information



Get a smooth, uniform finish with One-Coat Tile Paint and give any tiled space a professional look in minutes. Our One-Coat Tile Paint is a fast-drying acrylic lacquer, designed for treating and updating bathroom and kitchen tiles. With the easy to use spray paint design, you can quickly and easily get a clean and polished look even over existing coloured tiles.

#### Quality & properties

- Excellent coverage
- Lasting colour and lasting gloss
- Scratch free and wear-resistant
- Excellent vertical stability so hardly any dripping
- Resistant to chemicals and weather influences
- Excellent adhesion

#### Physical & chemical data

- Base: Acrylic resin
- Colourname: Traffic white
- Degree of gloss: gloss, >75 GU
- Efficiency: 400 ML – 1,25-1,75 m<sup>2</sup>
- Dust dry: 40 - 60 min
- Dry to touch: 3 - 4 h
- Completely dry: 24 h
- Overcoatable: 24 h
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 4000/20 bar
- Temperature Resistance: Traffic white 110 °C
- Content: 400 ML

#### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface.
- The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimeter.
- Apply the glue in several thin layers. Before applying the next layer, again shake the aerosol. When desired, after drying a primer and a lacquer can be applied.
- After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 30, 2024 – This release replaces all eventually earlier issued versions.