

## PlastiKote Hobby & Craft Sealer 400 ml

Ord.-no.: 414001, 414002, 414003



### Technical Information

PlastiKote Hobby & Craft Sealer spray paint is a water-based sealer that gives a rich and protective sealed finish. It's absolutely perfect as the final finishing touch to protect your craft projects, DIY work, art, and more! Available in Gloss, Satin and Matt finishes, our Hobby & Craft sealer spray is ideal for art and craft projects. You can use it as a finishing layer to paintwork, to seal pressed flowers or a bouquet, or for finishing any kind of painted craft project from baubles to buttons. Easy to use and giving a fantastic clear and even finish within moments.

#### Quality & properties

- Water-based sealer
- Available in 3 finishes
- For art & craft projects
- Very good coverage
- Handy size

#### Physical & chemical data

- Base:
  - ◊ Polyester resin
  - ◊ Acrylic resin
- Colourname: Transparent
- Degree of gloss:
  - ◊ gloss, >75 GU
  - ◊ semi gloss, 45 ±5 GU
  - ◊ mat, 10 ±2 GU
- Efficiency: 400 ML – 1,5 m<sup>2</sup>
- Dust dry: 10 - 20 min
- Dry to touch: 10 - 20 min
- Completely dry: 12 h
- Overcoatable: Anytime min
- Surfaces: ideal for art and craft projects
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 4000/20 bar
- Temperature Resistance: 110 °C
- Content: 400 ML

#### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface.
- The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimeter.
- Apply the spray paint in several thin layers. Before applying the next layer, again shake the aerosol. When desired, after drying a primer and a lacquer can be applied.
- After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of May 30, 2024 – This release replaces all eventually earlier issued versions.

